

# Material Safety Data Sheet

## Tuscan Stoneworx Accessories

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

DATE ISSUED: March 1, 2010  
REVIEWED ON: October 29, 2010  
REVISION: FORMAT

PRODUCTS COVERED BY THIS MSDS:

- Tuscan Stoneworx Foam Mold Release Agent

COMPANY CONTACT INFORMATION:

**Tuscan Stoneworx USA, LLC**

165 North 1330 West, C-4

Orem, UT 84057

Phone: (888) 368-9494

Fax: (801) 734-6959

[www.tuscanstoneworx.com](http://www.tuscanstoneworx.com)

### SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients:	CAS #	% WT	OSHA PEL/TWA	ACGIH TLV/TWA
None	N/A	TM	Not Available	Not Available
Natural Oil		50 – 90%		
Blended Oil		10 – 50%		
Additive-Non-Hazardous		.01 – 5%		

### SECTION 3: HAZARDS IDENTIFICATION

**HMIS CODES:** (0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Sever)

Fire: ..... 1

Health: ..... 1

Reactivity: ..... 0

**EMERGENCY OVERVIEW:** Aspiration hazard if swallowed. Can enter lungs and cause damage.

**ROUTES OF EXPOSURE:**

**INHALATION:** of product.

**EYE OR SKIN:** contact with the product, vapor, or spray mist.

**INGESTION:** of product.

### SECTION 4: FIRST AID MEASURES

**EYES:** Flush with water for 15 minutes and seek immediate medical attention

**SKIN:** Wash area with soap and water. If allergic reaction occurs, seek immediate medical attention.

**INHALATION:** If choking or allergic reaction occurs, seek immediate medical attention.

**INGESTION:** Drink water to dilute and seek immediate medical attention.

### SECTION 5: FIRE FIGHTING MEASURES

**FLASH POINT** (Method used: closed cup) >540° F (232°C) TCCC

**EXTINGUISHING AGENTS:** Foam, Dry Chemical, CO<sub>2</sub>,

**UNUSUAL FIRE FIGHTING AND EXPLOSION HAZARD:** None known.

**SPECIAL FIRE FIGHTING PROCEDURES:** Class 3B. Use water spray to cool drums exposed to fire. Oil soaked rags can cause spontaneous combustion if not handled properly. Before disposal, wash rags with soap and water.

---

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Absorb spill with an inert absorbent material, then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways. Immediate cleanup of any spill is recommended. Material 99.8% biodegradable. It is not considered to be hazardous waste.

---

#### SECTION 7: HANDLING & STORAGE

**HANDLING:** Wash thoroughly after handling. Use good personal hygiene practices.

**STORAGE:** Keep from freezing. Keep containers closed when not in use. Store material only in approved containers. Protect containers against physical damage. Recommended storage temperature: 0°C - 29° (34° - 84°)

---

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use in a well ventilated area.

**RESPIRATORY PROTECTION:** Recommended for those with oil allergies.

**SKIN PROTECTION:** The use of gloves impermeable to the specific material handled is advised to prevent skin contact and possible irritation.

**EYE PROTECTION:** Wear safety glasses with side shields (or goggles).

**HYGENIC PRACTICES:** Wash hands before eating. Remove contaminated clothing and wash before reuse. Avoid prolonged or repeated contact with skin. Avoid contact with eyes, skin and clothing.

**NATIONAL EXPOSURE STANDARD:** The current Occupational Safety and Health Administration (OSHA) permissible exposure limit (PEL) for natural oil mist is 15 milligrams per cubic meter (mg/m<sup>3</sup>) of air for total dust, and 5 mg/m<sup>3</sup> for the respirable fraction, as an 8-hour time-weighted average (TWA) concentration [29 CFR 1910.1000, Table Z-1].1

---

#### SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance.....	Yellow liquid
Boiling Range.....	>212° F
Freeze Point.....	-4° F (-20°C)
Vapor Pressure .....	N.D.
Vapor Density .....	N.D.
Evaporation Rate .....	<1
Physical State .....	Liquid
Specific Gravity.....	.925 @ 20C
Ph@0.0%.....	6.4
Viscosity.....	N/A
Coefficient of Water/Oil Distribution .....	N/A
Volatile Organic Compounds.....	N.D.

---

#### SECTION 10: STABILITY & REACTIVITY

**STABILITY:** This product is stable under normal storage conditions.

**CONDITIONS TO AVOID:** No Information

**INCOMPATIBILITY:** Strong Oxidizing Agents

**HAZARDOUS DECOMPOSITION PRODUCTS:** None

**HAZARDOUS POLYMERIZATION:** Will not occur

## SECTION 11: TOXICOLOGICAL INFORMATION

**TOXICOLOGICAL INFORMATIONS:** No Data Available

---

## SECTION 12: ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** No Data Available

---

## SECTION 13: DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD: Disposal Methods:** Incineration recommended; sewage disposal is discouraged. Always dispose of used containers in accordance with local regulations.

**Special Precautions for landfill:** Small quantities absorbed by Oil-dry can be disposed of in the landfill with container. But prior to disposing, please check local landfill disposal laws.

---

## SECTION 14: TRANSPORTATION INFORMATION

**TRANSPORTAION:** Transport in UN-certified container. Do not stack containers .

---

## SECTION 15: OTHER INFORMATION

Tuscan Stoneworx USA, LLC, nor any of its affiliates shall be responsible for the use of the information, product, method, or apparatus presented in this Material Safety Data Sheet. The user shall make its own determination as to its suitability and completeness for its particular use, for the protection of the environment, and health and safety purposes. The user assumes all the risks of relying on this information. In no event shall Tuscan Stoneworx be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information. By providing this information, Tuscan Stoneworx neither can nor intends to control the method of manner by which the product is used, handled, stored, or transported. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent, trademark or copyright.

TUSCAN STONEWORX USA, LLC MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE REGARDING THIS INFORMATION, AND NOTHING HEREIN WAIVES ANY CONDITIONS OF SALE. This information could include technical inaccuracies and typographical errors. Content may be modified at any time to the information in this MSDS; these changes will be incorporated into future revisions of the document.

Tuscan Stoneworx USA, LLC  
165 North 1330 West, Suite C-4 | Orem, Utah 84057  
P: (888) 368-9494 F: (801) 734-6959  
[www.tuscanstoneworx.com](http://www.tuscanstoneworx.com)